Up to 330 watt **WST-M6** Series Top performance for all applications WINAICO **PERFORMANCE** WARRANTY



COMPLIMENTARY INSURANCE





WST-M6 MONO FULL BLACK

325-330 W / 60 Cells

WST-M6 MONO

325-330 W / 60 Cells



A reliable investment
Linear performance guarantee for 25 years




Advanced cell technology
For long term performance in all conditions



Safety for your roof
Rigorous testing and individual inspection of every panel



15 year product warranty extendable to 25 years 25 year product warranty on registration for greater peace of mind



Greater Value

Premium quality from solar module specialists

A solar system is a long term investment, which should last for over 25-years. You need to be able to trust that the solar panels you install will perform for their whole life. With WINAICO you can rely on products from a manufacturer that specialises in premium quality solar.

Greater Experience

Thousands of satisfied system owners worldwide

Established in 2008 WINAICO is one of the world's oldest solar manufacturers. Since inception we have focused on building close relationship with our customers. WINAICO stands for quality, reliability and customer engagement, values we apply every day in our business. Working closely with our customers builds trust and understanding, a feeling shared by thousands of satisfied customers worldwide. We have been awarded the EuPD Top PV Brand Award three years in a row.

Greater Protection

3 in 1 insurance for your complete system

Photovoltaic modules from WINAICO are characterised by outstanding quality, innovative design, durability and safety. In order to protect your system against property damage, operational interruption and reduced yields, we offer comprehensive all-round protection for your complete photovoltaic system when purchasing WINAICO modules.

Ask your installer to receive 2 years of free system protection.




WINAICO is one of the few manufacturers to be awarded the EUPD Research "Top Brand PV" seal. The award centres around customer satisfaction from the performance of their solar systems in the real world. The EUPD Seal reflects WINAICO's customer focus and the positive consensus on lifetime performance.



WINAICO combines cutting edge components to build exceptional performance into every panel. Our advanced technology of light conducting ribbons maximises efficiency and minimises power loss to give you the best outcome. We don't cut corners on quality, every piece of a WINAICO panel is designed for performance.




With extreme weather becoming more frequent solar modules need to have the ability to withstand whatever nature throws at them, be it extreme heat, wind, hail or snow. WINAICO's unique frame and rigid design protects the panels and keeps them working hard for you!





Greater Safety Tested to the Limits

WINAICO's modules are tested above and beyond international standards. Aiming to use lab conditions to simulate 25 years of service life, we push our modules to withstand conditions far above what they will likely experience on your roof. Be confident that your WINAICO panels will last the test of time.



We examine all cells and finished laminates for internal damage with a special electroluminescence testing device. In doing so, we can virtually eliminate all micro-cracks, hot spots, solder defects and other faults that cannot be seen with the naked eye. A type of "X-ray image" proves the 100% cell quality for each individual module.

Beyond Industry Standard Testing

Thermal Cycling (TC)	IEC Standard	200 Cycles	
Cycles between –40°C and +85°C	WINAICO	3 times IEC standard	
Damp Heat (DH) Constant +85°C and 85% relative	IEC Standard	1,000 Hours	
humidity	WINAICO	3 times IEC standard	
Mechanical Load (ML)	IEC Standard	5,400 Pa	
	WINAICO	Follow IEC standard	
Hail Impact	IEC Standard	25 mm ice ball at 83 km/h	
	WINAICO	Follow IEC standard	

We test beyond the Industry testing standards because at WINAICO we believe that our customers deserve complete peace of mind.

Enhanced Voluntary Quality Testing

Potential Induced Degradation (PID)	96 hours	1,000 V, 85°C, 85% relative humidity
Light and elevated Temperature Induced Degradation (LeTID)	Non-sensitive to LeTID	0.55A, 75°C, 162 hours, 2 cycles
Salt Mist (IEC 61701:2011)	Severity 6	40°C Humid storage, 90% relative humidity , 56 days
Ammonia (IEC 62716:2013)	480 hours	20 cycles between 8 hrs of heating up and 16 hrs of cooling test sections

Our modules are voluntarily submitted to testing laboratories to push them to the absolute limits, guaranteeing your safety and return on investment.

499.5

432.2

12



Frame Cross Section Mounting Hole

1665

800.6

1200

connector

4 x Mounting Holes

Label

8 x Drainage Holes

100x120

Mechanical Data WINAICO WST-M6 SERIES

Cell Monocrystalline Silicon Cells,

158.75 mm x 158.75 mm

Quantity and wiring of cells 60 in series

1.665 mm x 999 mm x 35 mm Dimensions

(65.55 x 39.33 x 1.38 in)

Weight 18.6 kg (41.0 lbs) Glass thickness 3.2 mm (0.13 in) Frame Black anodised aluminium

Junction box IP 67

Connector type MC4 (PV-KBT4/PV-KST4) IP68; QC4.10 IP68

Module fire performance Type 4 Fire safety class

WINAICO PERFORMANCE GUARANTEE

At least 97% of nominal power during the first year.

No more than 0.7% degradation per year from 2nd year to 25th year.

The output power will be at least 80.2% at the end of 25th year.

WINAICO PRODUCT WARRANTY

In order to activate our 25-year product warranty, please register your installation under https://www.winaico.com/warranty-registration/.

Operating conditions	WINAICO WST-M6 FULL BLACK	WINAICO WST-M6		
Operating temperature	-40°C to +85°C / -40°F to +185°F	-40°C to +85°C / -40°F to +185°F		
Maximum system voltage IEC/UL	1,000 V/1,000 V	1,000 V/1,000 V		
Maximum series fuse	20 A	20 A		
Maximum design load (push/pull)	3,600 Pa/2,400 Pa	3,600 Pa/2,400 Pa		
Maximum test load (push/pull)	5,400 Pa/3,600 Pa	5,400 Pa/3,600 Pa		
Nominal Module Operating Temperature NMOT	43.85 ± 3°C	43.85 ± 3°C		
Temperature coefficient of P_{MAX}	−0.38 %/°C	−0.38 %/°C		
Temperature coefficient of $V_{\rm oc}$	−0.29 %/°C	−0.29 %/°C		
Temperature coefficient of $\rm I_{\rm sc}$	0.04 %/℃	0.04 %/℃		
Certifications	IEC 61215-1:2016, IEC 61215-2:2016, IEC 61730-1:2016, IEC 61730-2:2016			

Electrical data (STC)		WST-325M6	WST-330M6	WST-325M6	WST-330M6	
Nominal performance	P_{MAX}	325	330	325	330	Wp
Voltage at maximum performance	V_{MP}	33.92	34.27	33.92	34.27	V
Current at maximum performance	I _{MP}	9.59	9.64	9.59	9.64	А
Open circuit voltage	V _{oc}	40.70	40.85	40.70	40.85	V
Short circuit current	I _{sc}	10.37	10.48	10.37	10.48	А
Module efficiency		19.54	19.84	19.54	19.84	%

Electrical data applies under standard test conditions (STC): solar radiation 1,000 W/m² with light spectrum AM 1.5, with cell temperature 25 °C. Measurement tolerance of P_{MAX} at STC: ±3%. Accuracy of other electrical data: ±10%.

-0/+5

Electrical data (NMOT)		WST-325M6	WST-330M6	WST-325M6	WST-330M6	
Nominal performance	P _{MAX}	237	240	237	240	Wp
Voltage at maximum performance	V_{MP}	31.17	31.48	31.17	31.48	V
Current at maximum performance	I _{MP}	7.60	7.64	7.60	7.64	А
Open circuit voltage	V _{oc}	38.34	38.48	38.34	38.48	V
Short circuit current	I _{sc}	8.20	8.28	8.20	8.28	А

Electrical data applies under Nominal Module Operating Temperature (NMOT), irradiance of 800 W/m², spectrum AM 1.5, ambient temperature 20°C, wind speed 1 m/s.



Power tolerance



-0/+5