

MAXEON®



SunPower X-Series: X22-485-COM

SunPower® Commercial DC Panel

SunPower X-Series panels combine the top efficiency, durability and warranty available in the market today, resulting in more long-term energy and savings. ^{1,2}




Maximum Power. Minimalist Design.

Generates more power and savings per available space, making it easier to meet your organization's goals.



Highest Lifetime Energy and Savings

Designed to deliver 60% more energy in the same space over 25 years in real-world conditions like partial shade and high temperatures. 2



Fundamentally Different. And Better.



The SunPower Maxeon® Solar Cell

- Enables highest efficiency panels available ²
- Unmatched reliability ³
- Patented solid metal foundation prevents breakage and corrosion





As Sustainable As Its Energy


- Ranked #1 in Silicon Valley Toxics
 Coalition 2015 Solar Scorecard ⁴
- First solar panels to achieve Cradle to Cradle Certified™ Bronze recognition ⁵
- Contributes to more LEED categories than conventional panels ⁶



Best Reliability, Best Warranty

With more than 25 million panels deployed around the world, SunPower technology is proven to last. That's why we stand behind our panel with the industry's best 25-year Combined Power and Product Warranty, including the highest Power Warranty in solar.






X-Series: X22-485-COM SunPower® Commercial DC Panel

Electrical Data		
	SPR-X22-485-COM	SPR-X22-480-COM
Nominal Power (Pnom) ⁷	485 W	480 W
Power Tolerance	+5/0%	+5/0%
Panel Efficiency	22.4%	22.2%
Rated Voltage (Vmpp)	78.8 V	78.8 V
Rated Current (Impp)	6.16 A	6.09 A
Open-Circuit Voltage (Voc)	92.7 V	92.7 V
Short-Circuit Current (Isc)	6.55 A	6.48 A
· Max. System Voltage	1500 V UL & 1500 V IEC	
Maximum Series Fuse	15 A	
Power Temp Coef.	−0.27% / ° C	
Voltage Temp Coef.	−0.236% / ° C	
Current Temp Coef.	0.058% / ° C	

Operating Condition And Mechanical Data		
Temperature	-40° F to +185° F (-40° C to +85° C)	
Impact Resistance	1 inch (25 mm) diameter hail at 52 mph (23 m/s)	
Appearance	Class A	
Solar Cells	128 Monocrystalline Maxeon Gen III	
Tempered Glass	High-transmission tempered anti-reflective	
Junction Box	IP-65, 1230 mm cables / Stäubli MC4	
Weight	56 lbs (25.4 kg)	
Max. Load	Wind: 50 psf, 2400 Pa, 244 kg/m² front & back Snow: 112 psf, 5400 Pa, 550 kg/m² front	
Frame	Class 2 silver anodized; stacking pins	

Tests And Certifications		
Standard Tests ⁸	UL1703 (Type 2 Fire Rating), IEC 61215, IEC 61730	
Quality Management Certs	ISO 9001:2015, ISO 14001:2015	
EHS Compliance	RoHS, OHSAS 18001:2007, lead free, Recycle Scheme, REACH SVHC-163	
Sustainability	Cradle to Cradle Certified™ Bronze. "Declare." listed.	
Ammonia Test	IEC 62716	
Desert Test	MIL-STD-810G	
Salt Spray Test	IEC 61701 (maximum severity)	
PID Test	1500 V: IEC 62804, PVEL 600 hr duration	
Available Listings	UL, TUV , CEC	



(A) Cable Length: 1230 mm +/-10 mm

(B) Stacking Pins

(C) Long Side: 32 mm [1.3 in] Short Side: 22 mm [0.9 in]

Please read the safety and installation guide.

- 1 SunPower 360 W compared to a Conventional Panel on same-sized arrays (260 W, 16% efficient, approx. 1.6 m²), 4% more energy per watt (based on PVSyst pan files), 0.75%/yr slower degradation (Campeau, Z. et al. "SunPower Module Degradation Rate," SunPower white paper, 2013).
- $2\,$ Based on search of datasheet values from websites of top 10 manufacturers per IHS, as of January 2020.
- 3 #1 rank in "Fraunhofer PV Durability Initiative for Solar Modules: Part 3". PVTech Power Magazine, 2015. Campeau, Z. et al. "SunPower Module Degradation Rate," SunPower white paper, 2013.
- $4 \ {\rm SunPower} \ is \ rated \ \#1 \ on \ Silicon \ Valley \ Toxics \ Coalition's \ Solar \ Scorecard.$
- 5 Cradle to Cradle Certified is a multi-attribute certification program that assesses products and materials for safety to human and environmental health, design for future use cycles, and sustainable manufacturing.
- $6\,\mbox{X-Series}$ and E-Series panels additionally contribute to LEED Materials and Resources credit categories.
- 7 Standard Test Conditions (1000 W/m² irradiance, AM 1.5, 25° C). NREL calibration Standard: SOMS current, LACCS FF and Voltage.
- $8\ \text{Type}\ 2$ fire rating per UL1703:2013, Class C fire rating per UL1703:2002.

Designed in U.S.A. by SunPower Corporation Made in Philippines (Cells) Assembled in Mexico (Module)

©2021 Maxeon Solar Technologies. All Rights Reserved. View warranty, patent and trademark information at maxeon.com/legal.



527837 Rev A / A4_EN Publication Date: June 2021